

Sansa

FRAMED LED MIRRORS



Plug-In
Wiring



220-240
Volts



IP44
RATED
Safe for
Bathrooms

600 Round **LED05-R60**

800 Round **LED05-R80**

Pill **LED05-P9453**

Features

- Cool white colour temperature (4000K)
- Illuminating touch sensor for light and demister
- 5 mm thick glass mirror with frosted lighting
- 12 mm thick frosted acrylic and matte white frame
- Wall mounting screws and anchor plugs included
- Supplied in extra strong packaging for added protection
- 220-240V AC 50/60Hz
- IP44 rating

Please note: Mirror must be installed by a licensed electrician in accordance with local regulations.

Warning

- Please read the instructions and warnings carefully before installing the product and ensure this document is kept with the product for future reference to ensure product longevity and in the interest of safety.
- If any modification is made, it will invalidate the warranty and may render the product unsafe.
- This product is IP44 rated and suitable for installation outside the Zones 0 and 1, according to the IEEE regulations.
- It is not suitable for use in saunas, steam rooms and shower cubicles.
- Appropriate circuit protection should be available for the products.
- Take suitable precautions when handling products.
- Do not install and/or use if product is broken or unsafe.
- This product is designed for installation into a drywall, if mounting onto other substrate ensure appropriate fixing and batons (if required) are used and the load bearing of the wall is sufficient.
- Always switch off the electrical supply to the product at the mains during installation and maintenance.



CHECK GOODS THOROUGHLY BEFORE INSTALLATION

Installation of received goods that are damaged, warped or faulty will void warranty. Ensure all items meet your building or plumbing requirements.



PLEASE LEAVE THIS GUIDE WITH THE OWNER



All installations must be carried out by a licensed tradesperson in accordance with all applicable Building, Plumbing and Electrical codes, and Federal, State, or Local Government Regulations in accordance with AS/NZS 3500 Plumbing & Drainage, AS/NZS 6400:2016 Water Efficient Products, and AS/NZS 3000:2007 Electrical standards for any installations to which these standards apply.

Installation

Mirror must be installed by a licensed electrician in accordance with local regulations. Ensure mains power has been switched off before installation. Do not install within 1.2 metres of direct wet area contact (e.g. bath or open shower).

Mounting screws and anchor plugs are included. It is recommended that the mirror is installed onto a flat uniform wall, and must be screwed into studs or suitable anchors.


Mounting Bracket Installation

IMPORTANT:


To avoid any mistakes, before drilling any holes into the wall, turn the mirror over and measure the distance between the bracket holes to ensure the correct mirror placement.

Required Tools




- Drill with 6-8mm Drill Bit
- Tape Measure
- Phillips-head Screwdriver
- Hammer
- Pencil
- Level



LED05-R60/LED05-R80





LED05-P9453





Wall Mounting Instructions



1. Measure and mark the desired height for your mirror on the wall with a pencil. Use a measuring tape to ensure that the marks are even and level.
2. Drill pilot holes for the wall anchors where you have marked the location of the mounting screws. Use a drill bit that is slightly smaller than the size of the wall anchors (between 6-8mm).



3. Insert the wall anchors.
4. Screw the mounting screws into the wall anchors.



5. Line the mirror up with the mounting screws.
6. Hang up the mirror using the brackets provided on the back of the mirror.



Operation



LED LIGHT ON/OFF

Press touch sensor once quickly to activate.
Press the touch sensor to deactivate.

DEMISTER ON/OFF

Press touch sensor once quickly to activate. The demister is on when the light is on. Press the touch sensor again to deactivate the light and demister. If the LED light and demister is left on, the demister will automatically deactivate after one hour.

ADJUST BRIGHTNESS

Once the light is ON, hold your finger on the touch sensor for 5 seconds to decrease the brightness. Remove your finger and then repeat to increase the brightness.

Cleaning & Care

- For best results, clean mirrors with a combination of 30% methylated spirits to 70% water and a soft, non-abrasive cloth designed for use on glass surfaces.
- Do not leave the mirror on for extended periods.
- Wipe off all water spillages immediately.

Warranties

Residential Warranty Periods

Applies to domestic uses and applications of Fienza® products, such as private dwellings and retirement villages.

Commercial Warranty Periods

Applies to commercial uses and applications of Fienza® products, including, but not limited to: commercial food premises such as restaurants; commercial accommodation such as hotels; hospitals and healthcare facilities; public amenities; and industrial, laboratory and manufacturing facilities.

Range/Component	Residential	Commercial
LED Mirrors	5 years replacement parts or product, 1 year labour	1 year replacement parts or product, 1 year labour
Spare Parts	1 year replacement parts or product	1 year replacement parts or product

Australian Consumer Law

Our goods come with guarantees that cannot be excluded under the Australian Consumer Law. You are entitled to a replacement or refund for a major failure and compensation for any other reasonably foreseeable loss or damage. You are also entitled to have the goods repaired or replaced if the goods fail to be of acceptable quality and the failure does not amount to a major failure.

Fienza Pty Ltd reserves the right to make changes in product characteristics, packaging or availability at any time without notice. Please visit www.fienza.com.au for the latest information.

Warranty Conditions

- Installation has been carried out by a licensed tradesperson in accordance with all applicable Building, Plumbing and Electrical codes, and Federal, State, or Local Government Regulations in accordance with AS/NZS 3500 Plumbing & Drainage, AS/NZS 6400 Water Efficient Products, and AS/NZS 3000 Electrical standards for any installations to which these standards apply.
- All maintenance and adjustments to the product after the installation have been carried out by a licensed tradesperson.
- All care and cleaning instructions have been adhered to as prescribed.
- All goods of substandard quality manufacture (excluding imperfections permitted within AS1976 - Vitreous China used in Sanitary Applications) will be credited or replaced by Fienza when advised within the warranty period, subject to prior inspection and agreement.
- Proof of purchase is required for warranty claims.

Warranty Limitations

To the extent permitted under the Trade Practices Act and other relevant legislation, Fienza's liability is limited to:

- The cost of replacing the goods, or
- The cost of obtaining equivalent goods, or
- The cost of having the goods repaired.
- Fienza is not responsible for any lack of operation or performance of goods (or any loss or damage) where goods are used or adapted for use with other goods not supplied by Fienza.
- It is the responsibility of the customer and installer before installation to ensure that all components are correct and free of obvious visible faults.
- Fienza is not responsible for the labour and rectification costs incurred in the above circumstance.

Conditions for On-Site Warranty Service Calls

Fienza will charge a service fee for each visit to an installation by its technician where it is determined that the fault is due to poorly executed or unlicensed installation work or where the product is not a genuine Fienza product or where the product is outside the warranty period. This may be paid in advance by credit card over the phone to a Fienza technician attending the site and will be refunded if the Fienza product is found to be at fault.

For warranty support, please contact Fienza

15 Walter Crescent, Lawnton QLD 4501 PO Box 5381, Brendale QLD 4500
P 07 3490 6700 **F** 07 3490 6719 **E** help@fienza.com.au **ABN** 76 136 411 311

fienza®

All installations must be carried out by a licensed tradesperson in accordance with all applicable Building, Plumbing and Electrical codes, and Federal, State, or Local Government Regulations in accordance with AS/NZS 3500 Plumbing & Drainage, AS/NZS 6400:2016 Water Efficient Products, and AS/NZS 3000:2007 Electrical standards for any installations to which these standards apply.